Geophysical Research Abstracts, Vol. 9, 03183, 2007 SRef-ID: 1607-7962/gra/EGU2007-A-03183 © European Geosciences Union 2007



## **Reprocessing CEGRN campaigns 1994-2006**

M. Becker(1), A. Caporali(2), R. Drescher(1), L. Gerhatova(5), G. Grenerczy(3), C. Haslinger(4), J. Hefty(5), S. Krauss(1), T. Liwosz(6), G. Stangl(7)
(1) Institute of Physical Geodesy, Darmstadt University of Technology
(drescher@ipg.tu-darmstadt.de), (2) Università di Padova, Dipartimento di Geologia, Paleontologia e Geofisica (alessandro.caporali@unipd.it), (3) Institute of Geodesy, Cartography, and Remote Sensing (FOMI), Budapest, Hungary (grener@elte.hu), (4) Space Research Institute, Austria (cornelia.haslinger@oeaw.ac.at), (5) Department of Theoretical Geodesy, Faculty of Civil Engineering, Slovak University of Technology (jan.hefty@stuba.sk), (6) Institute of Geodesy and Geodetic Astronomy, Warsaw University of Technology (tl@gik.pw.edu.pl), (7) Federal Office of Metrology and Surveying, Austria (guenter.stangl@oeaw.ac.at)

The CEGRN GPS campaigns cover a substantial part of Central Europe between the Baltic and the Mediterranean Sea. Observations are made 1994,1995, 1996, 1997, 1999, 2001, 2003, 2005 and 2006. A reprocessing was done using the new guidelines and models from IGS/EPN which include absolute calibrations of antenna phase centre variations, new models of the troposphere and a minimum elevation of five degrees. Six 'old' IGS and EPN stations are added to the former data. The preliminary results in ITRF2005 are shown and compared to the old adjustments.